

Universidad de Oviedo



Software taxonomies Patterns, styles, tactics,...



School of Computer Science



Jose E. Labra Gayo

Software taxonomies

Building & Maintenance Configuration management Modularity

Decomposition at building time

Runtime

Components and connectors

Integration

Allocation

Packaging, distribution, deployment Business and enterprise environment

Software construction & maintenance

Jniversity of Oviedo

Software construction & maintenance

Configuration management



Software: product or service

Software as a Product (SaaP):

- Software deliverable
 - Commercial model: software is sold to clients
 - Software distributed or downloaded
- Example: Microsoft Office

Software as a Service (SaaS):

Software deployed

- Commercial model: clients subscribe to it
- Software usually available at some URL
- Example: Google docs

Software configuration management

Managing the evolution of software

- Manages all aspects of software construction
- Especially, how software evolves and changes

Aspects:

Identifying baselines and configuration items Baseline: A work product subject to management It contains configuration items: documents, code files, etc... Configuration control & auditing Version control systems Building management and automation Teamwork Defect and issues tracking

Software construction Overview of methodologies Traditional, iterative, agile Construction tools Languages, tools, etc.

Incremental piecemeal

Development by need Codification without following the architecture Throw-away software Budget constraints



of Oviedo

University

Software development life cycle (SDLC) Waterfall model identified as antipattern in 1970s



V Model



Big Design Up Front

Anti-pattern of traditional models Too much documentation that nobody reads Documentation different from developed system Architecture degradation Software implemented but unused



Iterative Models

Based on Prototypes Risk assessment after each iteration



Agile methodologies Overview

Agile methodologies

Lots of variants

RAD (www.dsdm.org, 95) SCRUM (Sutherland & Schwaber, 95) XP - eXtreme Programming (Beck, 99) Feature driven development (DeLuca, 99) Adaptive software development (Highsmith, 00) Lean Development (Poppendieck, 03) Crystal Clear (Cockburn, 04) Agile Unified Process (Ambler, 05)

Agile methods

Agile Manifesto (www.agilemanifesto.org)



Agile methods

Feedback

Changes of code are OK during development Minimize risk

- Software in short intervals
- Iterations of days
- Each iteration takes all the development cycle

Some agile principles (XP)

- 1. Adapt to change
- 2. Testing
- 3. Pair programming
- 4. Refactoring
- 5. Simple design
- 6. Collective code ownership
- 7. Continuous integration
- 8. On-site customer
- 9. Small releases
- 10.Sustainable pace
- 11.Coding standards

Adopt change

After each iteration, update plans Requirements through user stories Short descriptions (size of a card) Goals ordered by usnig according to priority Risk and resources estimated by developers User stories = acceptance testing Welcome changing requirements

Original pla	in
Current pla	n ZM

TDD - Test driven development

Write a test before coding Initially, code will fail Goal: pass the test Result: Automated set of tests

Easier refactoring



Different types of testing

Unit testing Check each unit separately Integration testing Smoke testing Acceptance testing Check with user stories Performance/capacity testing: Load testing **Regression** testing

Check that new changes don't introduce new bugs, or *regressions*

Types of testing

	Business fa	cing	
	Automated	Manual	
ramming	Functional Acceptance Testing	Showcases Usability testing Exploratory testing	Critiqu
Support prog	Unit testing Integration testing System testing Automated	Nonfunctional Acceptance testing (capacity, security,) Manual/Automated	e project

Technology facing



Source: Continuous delivery, J Humble, D. Farley, 2010

Acceptance testing

Behavior-driven development (BDD)

- Tests come from user stories
- They can be written collaboratively with the client
 - Tools: Cucumber, JBehave, Specs2,...
- Tests act as contracts
- Can also be used to measure progress

Feature: Buscar cursos
Para mejorar el uso de los cursos
Los estudiantes deberían ser capaces de buscar cursos
Scenario: Búsqueda por asunto
Given hay 240 cursos que no tienen el asunto "Biología"
And hay 2 cursos A001, B205 que tienen el asunto "Biología"
When Yo busco el asunto "Biología"
Then Yo debería ver los cursos:
Código
A001
B205

of Oviedo

University

Testing: FIRST Principles

F - Fast

Execution of (subsets of) tests must be quick

I - Independent:

No tests depend on others

R - Repeatable:

If tests are run N times, the result is the same

S - Self-checking

Test can automatically detect if passed

T - Timely

Tests are written at the same time (or before) code

Test doubles

Dummy objects:

Objects that are passed but not used

Fake objects: Contain a partial implementation.

Stubs: contain specific answers to some requests

Spies: stubs that record information for debugging

Mocks: mimic the behavior of the real object

Mocks may contain assertions about the order/number of times methods are called

Fixtures: Tools that support tests Testing databases, some files, etc.



Environments



A staging environment is usually used also

Pair programming & Code reviews

2 software engineers work together *Driver* manages keyboard and creates implementation

Observer identifies failures and gives ideas

Roles are exchanged after some time

Pull requests: Before accepting changes, code can be reviewed



Simplicity

Favor Simple design Reaction to Big Design Up Front Obtain the simpler design that works Automated documentation JavaDoc and similar tools



Refactoring

Improve design without changing functionality Simplify code (eliminate redundant code) Search new opportunities for abstraction

- Regression testing
 - Based on the test-suite



Collective ownership of code

Code belongs to the project, not to some engineer Engineers must be able to browse and modify any part of the code Even if they didn't wrote it Avoid code fragments that only one person can modify



Continuous Integration

Frequently integrating one's new or changed code with the existing code repository

Running all unit and integration tests Merge all developer working copies

Goals

Help Test Driven Development Maintain all programmers code up to date Avoid integration hell



Continuous Integration

Best practices:

Maintain code repository Automate the build Make the build self testing Everyone commits to the baseline Every commit should be built Keep the build fast Test in a clone of the production environment Make it easy to get the latest deliverables Everyone can see the results of the latest build Automate deployment

Continuous integration

Continuous integration tools Hudson, Jenkins, Travis, Bamboo, Github Actions



On-place customer

Customer available to clarify user stories and help taking critical business decisions

Advantages

Developers don't do guesses Developers don't have to wait for decisions Improves communication

Continous delivery

Small releases

Small enough while offering value to the user Obtain feedback soon from client

Delivery models

Try to release something every night/week...

Continuous and automated delivery

Sustainable pace

Avoid extra-work loads 40h/week = 40h/week

Tired programmers write bad code It will slow the development at long time

Clean code & code conventions

Facilitate code refactoring by other people Use good practices Code styles and guidelines Avoid code smells software craftmanship manifest Clean Code (Robert C. Martin)

Source: Clean Code. Robert Martin
Some agile methods

Variants

Scrum

Project/people management Divide work in sprints 15' daily meetings Product Backlog Kanban

Lean model Just in Time Development Limit workloads



Configuration management

Configuration Management

Different software versions

New or different functionalities Issues and bugs management New execution environments

Configuration management

Manage software evolution System changes = team activities Imply cost and effort

Systems that manage different code versions

Be able to Access all the system versions

Easy to rollback

- Differences between versions
- Collaborative development
- Branch management

Metadata

Author of a version, update date, who to blame, etc.

Baseline: Software which is the object of configuration management



Releases and versions

Version: instance of a system which has a different functionality to other instances

Release (deliverable): instance of a system which is distributed to external people outside to development team.

It can be seen as a final product at some point



of Oviedo

University

Version naming - some conventions

Before testing

Alpha

During testing

Beta (or prototype)

Testing made by some users Beta-tester: user that does the testing

Release-candidate

Beta version that could become final product

Other schema namings

Using some attributes

Date, creator, language, client, state,...

Recognizable Names

Ganimede, Galileo, Helios, Indigo, Juno,... Precise Pangolin, Quantal Quetzal,...

Semantic Versioning (http://semver.org)

MAJOR.MINOR.PATCH (2.3.5)

MAJOR: changes incompatible with previous versions

MINOR: new functionality compatible with previous versions

- PATCH: Bugfix compatible with previous versions
- Version 0 (inestable)

Pre-releases (names added at the end): 2.3.5-alpha

Publishing releases

A *release* implies functionality changes Planning

Publishing a release has costs Usually, current users don't want new releases External factors:

Marketing, clients, hardware, ...

Agile model: frequent releases

Continuous integration minimizes risk

Publishing Releases

A release is more than just software

Configuration files Some needed data files Installation programs Documentation Publicity and packaging

Continuous delivery

Continuous delivery

Frequent releases to obtain feedback as soon as possible TDD & continuous integration Deployment pipeline

Advantages:

Embrace change Minimize integration risks **Wabi-sabi philosophy** Accept imperfection Software that is not finnished: Good enough



DevOps

Merge *development and operations*

Cultural change where the same team participates in:

Code: Development and code review, continuous integration

Build: Version control, building and integration

Test

Package: Artifact management

Release: version automation

Configuration and management

Monitorization: performance, user experience

Construction tools

Construction languages **Configuration languages** Resource definitions (Json, XML, Turtle) Examples: .travis.yml, package.json, pom.xml Scripting languages Shell/batch scripts **Programming languages** Examples: Java, Javascript,... Visual languages Examples: scratch, blender, ... Formal Examples: B-trees, Z language, OCL, ...

Coding aspects

Naming conventions

Important for other programmers, maintainers... Classes, types, variables, named constants, ... Error handling Source code organization Packages, folders, ... Dependencies

Libraries imported

Code documentation

Javadocs, jsdoc...



Testing

Unit testing Integration testing Load testing Regression testing

Best practice:

. .

Separate testing code and dependencies from production code

Construction for reuse

Parameterization

Add parameters

Common error: magical numbers in code

- Configuration/resource files
- Conditional compilation
- Encapsulation
 - Separate interface from implementation
 - Common error: internal parts public in libraries

Packaging

Common error: manual tasks for packaging Documentation API documentation

Construction with reuse

Selection of reusable units

Externally developed components (COTS, FOSS)

Handling dependencies

<See later>

Handling updates

What happens when other libraries are updated?

Legal issues

Can I really use that library? For commercial software? Be careful with GNU libraries Is the library well maintained?

Construction tools

Text editors

vi, emacs, Visual Studio Code, Sublime,.... Integrated Development Environments (IDEs) Examples: IntelliJ, Eclipse Graphical User Interface (GUI) builders Android Studio UI Editor, QtEditor,... Quality assurance (QA) tools Test, analysis, ...<See next slide>

Software Quality Assurance

Tests

xUnit, test frameworks (mocha) Assertion languages (chai) Test coverage tools

Assertions

Pre-conditions asserted on methods Inspections & code reviews Pull requests with code reviews Code Analysis tools <See next slide>

Code analysis tools

Static vs dynamic code analysis

Without running the code (or at runtime)

Examples: PMD, SonarCube,... (Codacy)

Debuggers

Interactive vs static, Tracers & logging

Profilers

Information about resource usage Memory, CPU, method calls, etc.

Test coverage tools

Report which lines of code have been run during tests

Program slicing

Program fragment (slice) that has been run Examples: CodeSurfer, Indus-kaveri,...

Control version systems

Definitions

Repository: where changes are stored Baseline: Initial version Delta: changes from one version to other Trunk (master): Main branch in a system Branch: deviation from main branch Tag: Marks a line of versions



Definitions

Checkout: Working Local copy from a given branch

Commit: Introduce current changes in the control version system.

Merge: Combine two sets of changes

Branching styles: by feature, by team, by version



2 types

Centralized

Centralized repository for all the code

Centralized administration

CVS, Subversion, ...

Distributed

Each user has its own repository Git, Mercurial

Designed by Linus Torvalds (Linux), 2005 Goals:

Applications with large number of source code files

- Efficiency
- **Distributed work**

Each development has its own repository

- Local copy of all the changes history
- It is possible to do commits even without internet connection
- Support for non-lineal development (branching)

More information:

http://rogerdudler.github.com/git-guide/



Local components

3 local components:

Local working directory Index (stage area). Also called cache Project history: Stores versions or commits HEAD (most recent version)



Remote repositories

Connect with remote repositories origin = initial



Git facilitates branch management master = initial branch

Operations:

Create branches (*branch*) Change branch (*checkout*) Combine (*merge*) Tag branches (*tag*)



Branching patterns

Git-flow

Develop branch as mainline Github-flow

- Everything in master is deployable No hotfix branch
- Promotes pull-requests
- Trunk-based development

Everything in trunk (master) Short-lived feature branching



https://martinfowler.com/articles/branching-patterns.html

of Oviedo

University

Dependency management

Dependency management

Library: Collection of functionalities used by the system that is being developed

System depends on that library

Library can depend on other libraries

Library can evolve

Incompatible versions appear

Dependency graph



Mozilla Firefox dependency graph Source: The purely functional deployment model. E. Dolstra (PhdThesis, 2006)

Dependency graph

Graph G = (V, E) where

- V = Vertex (components/packages)
- E = Edges (u,v) that indicate that u depends on v

CCD metric (cumulative component dependency)

Sum of every component dependency

Each component depends on itself

In the example: CCD=7+3+4+1+1+1=18



Cyclic dependencies problem

The dependency graph should not have cycles Adding a cycle can damage CCD





Dependency management

Different models

Local installation: libraries are installed for all the system

- Example: Ruby Gems
- Embed external libraries in the system (version control)
 - Ensures a correct version
- External link

External repository that contains the libraries Depends on Internet and on library evolution

Build automation

Tools that automate building and deployment

- Organize different tasks
 - Compile, package, install, deploy, etc.
 - Dependencies between tasks
 - Must check:
 - Run all prerequisites Run them once


Build automation

Automate building tasks Some quality attributes:

Correctness:

Avoid mistakes (minimize "bad builds") Eliminate repetitive and redundant tasks Simplicity: Handle complexity Automation & releasability Have history of builds and releases Continuous integration

Cost

Save time & money

"Never send a human to do a machine's job" G. Hohpe

When to build?

On-demand

A user running a script at the command line

Scheduled

Automatically run at certain hours Continuous integration server Example: nightly builds

Triggered

At every commit to a version control system Continuous integration server linked to version control system

Build Automation Tools

Makefile (C world) Ant (Java) Maven (Java) SBT (Scala, JVM languages) Gradle (Groovy, JVM languages) rake (Ruby) npm, grunt, gulp (Javascript) cargo (Rust) etc.

Automate building make: Included in Unix **Product oriented** Declarative language based on rules When the Project is complex, configuration files can be difficult to manage/debug Several versions: BSD, GNU, Microsoft Very popular in C, C++, etc.

Automate building

ant: Java Platform

Task oriented XML syntax (build.xml)

Automate building

maven: Java Platform

Convention over configuration Manage project lifecycle Dependency management XML syntax (pom.xml)

Automate building

Embedded languages

Domain specific languages embedded in higher level ones Great versatility Examples: gradle (Groovy)

```
sbt (Scala)
rake (Ruby)
Buildr (Ruby)
gulp (Javascript)
```

...

New tools

Pants (Foursquare, twitter) https://pantsbuild.github.io/ Bazel (Google) http://bazel.io/ Buck (Facebook) https://buckbuild.com/

Build automation tool Describes how software is built Describes software dependencies Principle: Convention over configuration



Jason van Zyl Creator of Maven

Typical development phases:

clean, compile, build, test, package, install, deploy
Module identification

3 coordinates: Group, Artifact, Version

Dependencies between modules

Configuration: XML file (Project Object Model)



Artifact repositories

Store different types of artifacts
JAR, EAR, WAR, ZIP, plugins, etc.
Every interaction is made through the repository
No relative paths
Share modules between development teams



Maven Central

- Public repository of projects Over 1 mill GAV
- ≈ 3000 new projects each month (GA)
- ≈ 30000 new versions each month(GAV)*

The Central Repository http://search.maven.org/

Other repositories: https://bintray.com/

* Source: http://takari.github.io/javaone2015/still-rocking-it-maven.html

POM - Project Object Model

XML syntax **Describes a project** Name and version Artifact type (jar, pom, ...) Source code localizations Dependencies Plugins **Profiles** Alternative build configurations Inheritance structure

Reference: https://maven.apache.org/pom.html

POM - Project Object Model

Inheritance structure

- Super POM
 - Maven's default POM
 - All POMs extend the Super POM unless explicitly said
- parent
 - Declares the parent POM
 - Dependencies and properties are combined

Project identification

GAV (Group, Artifact, Version) Group: grouping identifier

Artifact: Project name

Version: Format {Major}.{Minor}.{Maintenance}

It is possible to add "-SNAPSHOT" (in development)

Folder structure

Maven uses a conventional structure src/main src/main/java src/main/webapp src/main/resources src/test/ src/test/java src/test/resources

Output directory: target

Maven Build life cycle

3 built-in lifecycles

default

Project deployment

clean

Project cleaning

site

Project's site documentation

Each life cycle has some specific phases

clean

Clean compiled code and other stuff 3 phases pre-clean clean

post-clean

default lifecycle

Compilation, testing and deploying Some phases

validate initialize generate-sources generate-resources compile test-compile test package integration-test verify install deploy

Generates Project's site documentation Phases

pre-site site post-site site-deploy

Automatic dependency management **GAV** identification **Scopes** compile test provide Type . . . jar, pom, war,...

<dependency>
<groupId>commons-cli</groupId>
<artifactId>commons-cli</artifactId>
<version>1.3</version>
</dependency>

• • •

Automatic dependency management

- Dependencies are downloaded
- Stored in a local repository
- We can create intermediate repositories (proxies)
 - Examples: common artifacts for some company
- Transitivity
 - A depends on B
 - B depends on C
 - $\Rightarrow If a system depends on A \\Both B and C are downloaded$

Maven modules: aggregation

Big projects can be decomposed in subprojects Each Project creates one artifact Contains its own pom.xml Parent Project groups modules

```
<project>
...
<packaging>pom</packaging>
<modules>
<module>extract</module>
<module>game</module>
</modules>
</project>
</project>
```

Maven Plugins

Maven architecture based on plugins 2 types of plugins build reporting

List of plugins: https://maven.apache.org/plugins/index.html

Other phases and plugins

archetype:generate - Generates Project archetype eclipse:eclipse - Generates eclipse project site - Generates Project web site site:run - Generates Project web site and starts server javadoc:javadoc - Generates documentation cobertura:cobertura - Reports code executed during tests checkstyle:checkstyle - Check coding style spring-boot:run - Run a spring application

npm

npm

Node.js package manager Initially create by Isaac Schlueter Later became Npm inc. Default package manager for NodeJs Manages dependencies Allows scripts for common tasks Software registry Public or paid packages Configuration file: package.json

npm configuration: package.json

Configuration file: package.json npm init creates a simple skeleton

Fields: "...mandatory...", "name": "version": "...mandatory...", "description": "...optional...", "keywords": "...", "repository": {... }, "author": "...", "license": "...", { . . . } , "bugs": "homepage": "http://. . .", "index.js", "main": "devDependencies": { ... }, "dependencies": { ... } "scripts": { "test": " ... " }, "bin": $\{\ldots\}$

Note: Yeoman provides fully featured scaffolding

npm packages

```
Repository: <u>http://npmjs.org</u>
Installing packages:
    2 options:
    Local
    npm install <packageName> --save (--save-dev)
    Global
    npm install -g <packageName>
```

npm dependencies

Dependency management

Local packages are cached at node_modules folder Access to modules through: require('...') Global packages (installed with --global option)

Cached at: ~/.npm folder

Scoped packages marked by @

npm commands and scripts

Npm contains lots of commands start ≈ node server.js test ≈ node server.js Is lists installed packages

Custom scripts:

run-script <name> More complex tasks in NodeJs Gulp, Grunt